

Vjetra®


Vjetra® is a unique concrete paving stone. It is a one piece element with a unique shape that hides an incredible wealth of design possibilities. Vjetra® will allow the creation of impressive paving in a uniform and, most importantly, ecological edition. Vjetra® is the answer to the conscious eco-needs of the users!

Vjetra® – one element, numerous possibilities.



Color chart

Monokolor



white

gray

steel

carbon



Multikolor



colors
of autumn

dark

diamond

gothic

light

colors
of shell

york

natur



Variants



Vjetra®

V-Vjetra

Recommendations and information:

Installation in accordance with the construction practice. Use with a traffic load of more than 3.5 t or 12 t is subject to the roadbase being constructed in accordance with the manufacturer's guidelines contained in the product documentation. For solid paving low intensity of 12t truck traffic is permissible. For the biologically active paving with the share of biologically active surface of 1-40% – the permissible traffic load is 3.5t. With the share of biologically active surface of over 40% – only pedestrian traffic load is permissible.

Remove dirt regularly by wiping with a rag or rinsing with water.

All surfaces should be constructed in accordance with the guidelines of the Minister of Transportation (Catalog WR-D-63).

Product should be laid only on a sand or sand cement bedding.



Bevel: micro dimension

Spacers: classic dimension

Joint width: 3-5 mm

Production: made with the use of the two-ply technology

Shapes and dimensions



Product details

Number of elements in the system: 1

Appearance: flat surface and straight edges, polygon shape, flat surface with relief

Thickness (cm): 8

Format: medium

Designation: roads, eco, driveways and car parks, walkways, terraces, garden/paths/alleys

Loads: 40% and more of biologically active surface: pedestrian traffic (Vjetra®, V-Vjetra), 1%-40% biol. active surface: pedestrian traffic, vehicle traffic load up to 3,5 t (Vjetra®, V-Vjetra), 0% biologically active surface: pedestrian traffic, vehicle traffic up to 3.5t. (Vjetra®, V-Vjetra); vehicle traffic up to 12 t: low traffic volume (Vjetra®)

Logistic data

Pallet weight [kg]

950

Number of m2 per pallet


4,98 (96 pcs)

Number of layers per pallet

8

Elements system on a pallet

Attention: For technological reasons the arrangement on a pallet may be different from that shown.



Attention: For technological reasons pallet's weight may change.

See the product online on your smartphone

