

Curbs

Curbs are popular and irreplaceable products used to **finish and protect** asphalt surfaces, pavements and local car parks. They complete the entire of the pavement design. BRUK curbs have been discreetly blending in with the **surroundings of public space** for many years. We offer a **full range of them** – from an ordinary road curb (also in a 1/3 length version) through a light and heavy road curb, up to the overrun and pitched curbs.

NEW 2023! CURB 12x25x100.



Color chart

Standard



gray



Recommendations and information:

Installation in accordance with the construction practice. Do not lay it lying down. Install on a concrete bench.

Bevel: non-beveled

Spacers: one-sided block spacers

Joint width: 5-10 mm

Production: made with the use of the two-ply technology

Special features and additional recommendations:

road curb 15x30x100 cm, 15x30x33 cm and light road curb – edging driveways, parking lots, roads, sidewalks, separating roads from sidewalks


heavy road curb 20x30x100 cm – edging roads with heavy traffic and separating roads from sidewalks

pitched curb – variable height – on one side of the element adjusted to the overrun curb, on the other – to the road curb; for lowering the curb (e.g. pedestrian crossings) and smooth crossing between the road and the overrun curb; do not use at entries

overrun curb – road curb of a reduced height; to make entrances and endings of the driveway surface

curb 12x25x100 – edging of paths, sidewalks and driveways; separation of roads and streets from: shoulders, paved roadsides, sidewalks located at roadway level, sidewalks from bikeways in public spaces; as an element separating different types of surfaces.

Shapes and dimensions



Product details

Number of elements in the system: 1

Appearance: beveled on one side, with rounded edges, cube shape, details in technical sheet

Decorative concrete designation: edging roads, entrances, paving driveways end, lowering curbs in the curbs line, edging of paths, sidewalks, edging of bicycle paths in public space, element separating different types of surfaces, element stabilizing surfaces, edging driveways and parking lots, edging walkways

Logistic data

Pallet weight [kg]

road curb 15x30x100 cm: **1140**

road curb 15x30x33 cm: **1120**

havy road curb 20x30x100 cm: **1040**

light road curb 12x25x100 cm: **1240**

overrun curb 15x22x100 cm: **1280**

pitched curb 15x22 30x100 cm: **1400**

curb 12x25x100 cm: **1400**

Numer of pieces / number of layers per pallet

road curb 15x30x100 cm: **12 pcs/2**

road curb 15x30x33 cm: **36 pcs/2**

havy road curb 20x30x100 cm: **8 pcs/2**

light road curb 12x25x100 cm: **20 pcs/2**

overrun curb 15x22x100 cm: **18 pcs/3**

pitched curb 15x22 30x100 cm: **16 pcs/4**

curb 12x25x100 cm: **20 szt./2**

Attention: For technological reasons pallet's weight may change.

See the product online on your smartphone

